

DOLAREN®

EMULGEL

Topical Innovation for Traumatic, Arthritis, Rheumatic pain
Acts on: Phlogosis, Ecchymosis, Edema, muscular and tendinous lesions
Applicable with diathermy, ultrasounds, electrophoresis, iontophoresis, shockwave therapy and magnetic therapy

with



MAIN COMPONENTS:

Ozoile® (Stable Ozonides with Vitamin E acetate), Arnica Montana Flower Extract, Harpagophytum Procumbens Root Extract, Ribes Nigrum Leaf Extract, Bromelain, Panthenol, Menthol, Boswellia Serrata Extract.

OZOILE®

Acts against the inflammatory and itchy status.
Acts against redness, itching, burning, swelling and degenerative processes in progress. It transfers oxygen to the tissue enhancing tissue regeneration

VITAMIN E ACETATE

Enhances the anti-inflammatory action of Ozoile®

DEVIL'S CLAW

Anti-inflammatory, analgesic and anti-rheumatic action.

BROMELINE

It avoids the arise of aggregates. Anti-edema and fibrinolytic action

ARNICA MONTANA

Analgesic action. It acts against ecchymosis and edema.

RIBES NIGRUM

Vasoprotective and anti-inflammatory action

BOSWELLIA SERRATA EXTRACT

It reduces inflammation associated with arthritis and arthrosis

INDICATIONS

In the topical treatment of traumatic, arthritic and rheumatic pain. It acts against phlogosis, ecchymosis, edema, muscular tendinous lesions.

Particular suitable on: children, teenagers, elderly people and patients with heart diseases.

HOW TO USE

Topical use. Apply DOLAREN® Emulgel on the affected area and massage until the complete absorption. It is preferable to use DOLAREN® Emulgel two or three times a day in the acute phase turning to one or two applications a day in the maintenance phase. The treatment period differs according to the conditions to be treated and the rapidity of therapeutic response.

WARNINGS AND PRECAUTIONS

Topical use. Apply on intact skin, keeping away from mucosa. Do not apply on damaged skin and mucosa. Do not ingest. Keep out of the reach of children. Do not use it if the packaging appears to be damaged. Do not use the device beyond the expiration date. The expiration date refers to the intact and correctly stored product. In case of contact with eyes: rinse thoroughly for several minutes. Remove contact lenses if easy to do. Continue rinsing. Store in a cool, dry place away from heat sources and direct sunlight. Store preferably between 5 °C and 35 °C. Wash your hands well before using the medical device. Carefully close the tube after use. After opening it is recommended to use the product within 6 months. It is contraindicated in case of ascertained hypersensitivity towards the components. There are no cases of sensitization or side effects if this phenomenon occurs please discontinue use and consult your physician.

PACKAGE

Tube 50 ml

GLUTEN FREE
NO COLOURS
NO ALLERGENS

 **ERBAGIL s.r.l.**
Via L. Settembrini, 13
82037 Telese Terme (BN) Italy
www.erbagil.com

REV. 05 01/2023



DOLAREN®

EMULGEL

Lokalna inovacija pri travmatskih, artritičnih, revmatskih bolečinah.

Deluje na: vnetja, podkožne krvavitve, edeme, bolečine mišic in kit

Primeren za uporabo pri diatermiji, ultrazvoku, elektroforezi, iontoforezi, terapiji z udarnimi valovi in magnetni terapiji

Z



GLAVNE SESTAVINE

Ozoile® (stabilni ozonidi z Vitamin E acetatom), izvleček cvetov Arnica Montana, izvleček korenine Harpagophytum Procumbens, izvleček listov Ribes nigrum, bromelain - surov izvleček ananasa, pantenol, mentol, izvleček Boswellia serrata
OZOILE®

Deluje proti vnetnemu in srbečemu stanju.

Deluje proti rdečici, srbenju, pekočemu občutku, otekanju in degenerativnim procesom. Prenaša kisik do tkiva in tako pospešuje regeneracijo tkiva

VITAMIN E ACETAT

Poveča protivnetno delovanje Ozoila®

HUDIČEV KREMPELJ

Protivnetno, analgetično in antirevmatično delovanje.

BROMELAIN

Preprečuje nastanek agregatov. Deluje proti edemom in ima fibrinolitično delovanje

ARNICA MONTANA

Analgetično delovanje. Deluje proti podkožnim krvavitvam in edemom.

RIBES NIGRUM

Vazoprotektivno in protivnetno delovanje

IZVLEČEK BOSWELLIA SERRATA

Zmanjšuje vnetja, povezana z artritisom in artrozami

INDIKACIJE

Pri lokalni oskrbi travmatskih, artritičnih in revmatskih bolečin. Pri vnetjih, podkožnih krvavitvah, edemih, bolečinah mišic in kit.

Posebej primerno za: otroke, najstnike, starejše ljudi in bolnike s srčnimi boleznimi.

KAKO UPORABITI

Lokalna uporaba. DOLAREN® Emulgel nanesite na prizadeto mesto in ga vmasirajte do popolne absorpcije. Priporočljivo je, da v akutni fazi DOLAREN® Emulgel uporabite dvakrat ali trikrat na dan, v fazi vzdrževanja pa uporabite eno ali dve aplikaciji na dan. Obdobje uporabe se razlikuje glede na stanje in hitrost terapevtskega odziva.

OPOZORILA

Lokalna uporaba. Nanesite na nepoškodovano kožo in se izogibajte sluznice. Ne nanašajte na poškodovano kožo in sluznico. Ne zaužijte. Hraniti izven doseg otrok. Ne uporabljajte ga, če je embalaža videti poškodovana. Medicinskega pripomočka ne uporabljajte po izteku roka uporabnosti. Rok uporabe se nanaša na nepoškodovan in pravilno shranjen izdelek. V primeru stika z očmi: temeljito izpirati nekaj minut. Odstranite kontaktne leče, če je to možno. Nadaljujte z izpiranjem. Shranjujte na hladnem in suhem mestu, stran od virov toplote in neposredne sončne svetlobe. Shranjujte pri temperaturi med 5 °C in 35 °C. Pred uporabo medicinskega pripomočka si dobro umijte roke. Po uporabi tubo previdno zaprite. Po odprtju je priporočljivo izdelek porabiti v 6 mesecih. Kontraindicirano je v primeru ugotovljene preobčutljivosti na sestavine. Primeri preobčutljivosti ali stranski učinki niso znani, če se vseeno pojavijo, je priporočljivo takoj prenehati z uporabo in se posvetovati s svojim zdravnikom.

PAKIRANJA

Tuba 50 ml

BREZ GLUTENA
BREZ BARVIL
BREZ ALERGENOV

 Distributer:
MagPharm,
prodaja farmacevtskih izdelkov, d.o.o.
 Litostrojska 44e,
1000 LJUBLJANA

 ERBAGIL s.r.l.
Via L. Settembrini, 13
82037 Telese Terme (BN) Italy
www.erbagil.com

REV. 05 01/2023

